



DEPARTMENT OF HEALTH & HUMAN SERVICES

PUBLIC HEALTH SERVICE
NATIONAL INSTITUTES OF HEALTH

FOR US POSTAL SERVICE DELIVERY:
Office of Laboratory Animal Welfare
Division of Assurances
6700B Rockledge Drive
Suite 2500, MSC 6910
Bethesda, Maryland 20892-6910
Home Page: <https://olaw.nih.gov>

FOR EXPRESS MAIL:
Office of Laboratory Animal Welfare
Division of Assurances
6700B Rockledge Drive, Suite 2500
Bethesda, Maryland 20817
Telephone: (301) 496-7163

August 11, 2022

Re: Assurance Approval for D16-00092 (A3152-01)

James Weyhenmeyer, Ph.D.
Vice President for Research
Auburn University
202 Samford Hall
Auburn, AL 36849

Dear Dr. Weyhenmeyer:


I am pleased to inform you that the Office of Laboratory Animal Welfare (OLAW) reviewed and approved your institution's Animal Welfare Assurance (Assurance) that was submitted in accordance with the Public Health Service (PHS) Policy on Humane Care and Use of Laboratory Animals (Policy), revised 2015.

Your Assurance, identification number **D16-00092 (A3152-01)**, became effective on **August 11, 2022** and will expire on **August 31, 2026**. Please include the Assurance number on all correspondence to OLAW. You will receive a copy of the signed Assurance document by email. The signature page provides verification of approval by OLAW and specifies the period during which your institution's Assurance is effective.

The Assurance is a key document that sets forth the responsibilities and procedures of your Institution regarding the care and use of laboratory animals according to the PHS Policy. The practices described in the Assurance document must be followed by all individuals in the animal care and use program.

If I may be of any further assistance, please do not hesitate to contact me.

Sincerely,

 X
T. Tubbs -S

Digitally signed by
Jacquelyn T. Tubbs -S
Date: 2022.08.11
08:30:07 -04'00'

Jacquelyn Tubbs, DVM, DACLAM
Senior Animal Welfare Program Specialist, Division of Assurances
OLAW, National Institutes of Health

cc: IACUC Contact
POC